


Ozone Therapy - Product Listing

Ozone Therapy Device

R9 400.00



Ozone concentration: 99mg/L at 1/32 L/min oxygen; available for rectal and vaginal therapy and making of ozone drinking water; Built-in: cooling fan; ozone module; LED indicators with oxygen inlet connector and ozone outlet, connector OD 5mm; Driving voltage: 12 VDC (need 100-240 V AC)

Mini Ozone Generator

R10 350.00



Destructor; Ozone concentration: 10 - 104mg/L; oxygen input: 1/32 - 1 lpm; available for rectal and vaginal therapy and making of ozone drinking water etc; Built-in: 3 levels ozone module; built-in ozone destructor, LED indicators, cooling fan, Connector: luer lock; Input voltage: 100-240 V AC 50/60 Hz to 12 V DC

Double Quartz Ozone Generator

R17 250.00



Oxygen input: 1/32 - 1lpm; Built-in double quartz electrode ozone cell; built-in ozone destructor; Input voltage: 100-240 V AC 50/60 Hz to 12 V DC

Non-return Valve

For air flow: ≤ 5 L/min

R30.00

High quality valve

R90.00



Male Luer Connector

R58.00

5/32" fit for silicon hose with 4mm inner diameter



Female Luer Connector

R50.00

5/32" fit for silicon hose with 4mm inner diameter



Female Luer Connector Wall Mount

R90.00

Wall-mounted version with nut for locking





Y-shape Plastic Connector

R50.00

Size: for 7x4mm silicon tubing



2-way Connector

R172.00

One end with 5/32" male luer,
another end with 5/32 female luer



3-way Connector

R195.00

Two ends with 5/32" male luer,
one end with 5/32 female luer



Silicon Tube

Wall thickness: 1.5mm 7x4; Color: transparent; **R80.00**
Material: silicon; ozone-resistant per metre

Wall thickness: 2mm 8x4; Color: transparent; **R95.00**
Material silicon; ozone-resistant per metre



Stone Diffuser

R20.00

Plastic mouth dia. 5.4mm; Material: sandstone



White Stone Diffuser

R40.00

Plastic mouth dia. 5.4mm; Material: white sandstone



Oxygen Tank Regulator

R1 265.00

(For use on MEDICAL oxygen tanks)

Regulate the flow of oxygen from the tank into the ozone generator; 1/32 l/m - 4 l/m; Maximum pressure - 3,000 PSI; Barb Outlet



Oxygen Tank - 3 litre

R3 800.00

3 litre oxygen tank with medical tap
Suitable for use with oxygen tank regulator



Syringe

60 mL/CC; luer lock

R20.00

100 mL/CC - Glass; luer lock

R680.00



Luer Lock Short Needles

R15.00

Luer lock connection; Needle length: 1/2 inch;
Needle size: ID 1.2mm; OD 1.64mm



Luer Lock Catheter

R60.00

Fr 12 size; with 2 eyes at the tip with luer connector
single package for medical use



Ozone Destructor for Ozone Therapy R1 300.00

Standard luer connector



Ozone Bag for Limb Wound Treatment

R900.00

With bag adaptors (2 connectors & 2 bags)




Ozone Bag for Insufflation

R350.00

With 3 chambers: 200ml, 400ml, 750ml with luer connector



Insufflation kit



Olive oil breathing kit



Ozonide breathing kit

500 ml - R560.00
1000 ml - R600.00



Ozonated water kit

Price on request

Prices are subject to exchange rate fluctuations

May 2025



**Greiner
Trading cc**



Jochem Greiner - 074 1116658
Susan Greiner - 083 500 8302

jochem@greinertrading.co.za
www.greinertrading.co.za

Warranty and Disclaimer:

All products have a one year warranty from date of purchase in which repairs or exchange of parts according to that which is deemed necessary by the company will be made free of charge. This warranty does not cover damage by the following:

- 1 Misuse, abuse or alteration to the product
- 2 Damage caused by accident or neglect
- 3 Servicing or repairs made by unauthorised persons

Neither Greiner Trading CC nor its Member, shall be held responsible for any incidental, special or consequential damages resulting from the use of any products. Treatment using ozone devices are not intended as a diagnosis, cure or as a substitute for professional medical advice.

Prices are subject to exchange rate fluctuations